


FIG. 1



**FIG. 2**








FIG. 3



666220" 82059660

FIG. 4



APPROVED	0.0 100	
BY	CLASS	SUBCLASS
DRAFTSMAN		

5/13

FIG. 5





FIG. 6




09363020-072009

APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
RAFTSMAN		

7 / 13


FIG. 7



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
RAFTSMAN		

8 / 13


FIG. 8




666220" 820E9E60



FIG. 9




**FIG. 10**




00363028-072999

**FIG. 11**




- 112
- CIRCLE / COLOR=GRAY / SIZE=100 / POSITION=x ; 20, y ; 40
  - RECTANGLE / COLOR=WHITE / SIZE=40×30 / POSITION=x ; 25, y ; 45
  - CHARACTER / CHARACTER STRING="ABC" /  
SIZE=15 POINTS / COLOR=BLACK / POSITION=x ; 50, y ; 50
- IMAGE / SIZE=50×30 / POSITION=x ; 30, y ; 5  
/ IMAGE DATA=FFA032D0 ..... 807236CAB0680EF5 /



666220" 820E3E60

**FIG. 12**



09363029 07999

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

13 / 13

*FIG. 13*

PATCH PATTERN FORMATION CONDITION

ACCURACY

HIGH▼

KIND

ORDINARY▼

OK

09363029 8202560